

# CONTAINER SPECIFICATIONS



Inside	Inside Width	Inside	Door Width					
1914"	718" 2,350m	7110" 2,393m	718" 2,342m	716" 2,280m	1,172 cft 33.2 cu.m	4,916 lbs 2,320 kgs	47,900 lbs 21,770 kgs	

Standard 40'

Inside	Inside Width	Inside	Door Width					
3915"	718" 2,350m	7110" 2,393m	718" 2,342m	716" 2,280m	2,390 cft 67.7 cu.m	8,160 lbs 3,700 kgs	59,040 lbs 26,780 kgs	



Inside	Inside Width	Inside	Door Width					
3915"	718" 2,350m	8110" 2,697m	718" 2,338m	815" 2,585m	2,694 cft 76.3 cu.m	8,750 lbs 3,970 kgs	58,450 lbs 26,510 kgs	



Inside	Inside Width	Inside	Door Width					
1718"	715" 2,275m	715" 2,260m	715" 2,258m	713" 2,216m	1,000 cft 28.3 cu.m	7,040 lbs 3,200 kgs	45,760 lbs 20,800 kgs	

Inside	Inside Width	Inside	Door Width				
37 <sup>1</sup> / <sub>8</sub> "	7 <sup>1</sup> / <sub>5</sub> " 2,270m	7 <sup>1</sup> / <sub>2</sub> " 2,197m	7 <sup>1</sup> / <sub>5</sub> " 2,282m	7 <sup>1</sup> / <sub>0</sub> " 2,155m	2,040 cft 57.8 cu.m	10,780 lbs 4,900 kgs	56,276 lbs 25,980 kgs

Inside	Inside Width	Inside	Door Width				
37 <sup>1</sup> / <sub>11</sub> "	7 <sup>1</sup> / <sub>6</sub> " 2,294m	8 <sup>1</sup> / <sub>2</sub> " 2,500m	7 <sup>1</sup> / <sub>6</sub> " 2,294m	8 <sup>1</sup> / <sub>0</sub> " 2,440m	2,344 cft 66.6 cu.m	9,900 lbs 4,500 kgs	57,561 lbs 25,980 kgs



Inside	Inside Width	Inside	Door Width				
19 <sup>1</sup> / <sub>4</sub> "	7 <sup>1</sup> / <sub>7</sub> " 2,311m	7 <sup>1</sup> / <sub>8</sub> " 2,354m	7 <sup>1</sup> / <sub>6</sub> " 2,286m	7 <sup>1</sup> / <sub>2</sub> " 2,184m	1,136 cft 32.23 cu.m	5,280 lbs 2,400 kgs	47,620 lbs 21,600 kgs



Inside	Inside Width	Inside	Door Width				
39 <sup>1</sup> / <sub>5</sub> "	7 <sup>1</sup> / <sub>8</sub> " 2,350m	7 <sup>1</sup> / <sub>8</sub> " 2,345m	7 <sup>1</sup> / <sub>8</sub> " 2,341m	7 <sup>1</sup> / <sub>5</sub> " 2,274m	2,350 cft 65.5 cu.m	8,490 lbs 3,950 kgs	58,710 lbs 26,630 kgs



Inside	Inside Width	Inside	Door Width					
1911"	810" 2,311m	7104" 2,354m	----	----	----	6,061 lbs	52,896 lbs	
			----	----	----	2,750 kgs	24,000 kgs	

Inside	Inside Width	Inside	Door Width					
4010"	810" 2,400m	615" 1,950m	----	----	----	12,783 lbs	58,710 lbs	
			----	----	----	5,800 kgs	39,200 kgs	